

| H1610 Parts list | | | | | |
|------------------|--------------|---------------------|-------------------------------|------------|-----|
| Item No | KIT No | Part No. | Desc. | Spec. | QTY |
| KIT15 | | H1610-01-001 | MPG assy | | 1 |
| KIT1 | KIT15 | 700C-PA-001 | motor assy | | 1 |
| 1 | KIT1 | H1600-10-001 | motor 9840-120V | 9840-120V | 1 |
| 2 | KIT1 | 800-3-004 | hexagon socket head cap screw | M5x28 | 4 |
| 3 | KIT1 | 800-3-005 | plain washer | | 4 |
| 4 | KIT1 | 800-3-003 | deep groove ball ring | | 1 |
| KIT2 | KIT15 | 700C-PA-002 | pump pedestal assy | | 1 |
| 5 | KIT2 | 800-3-001 | big gear | | 1 |
| 6 | KIT2 | 800-3-002 | gear shaft | | 1 |
| 7 | KIT2 | 800-2-003 | o-ring | 64.77x2.62 | 1 |
| 8 | KIT2 | 700-1-023 | pump pedestal assy | | 1 |
| 9 | KIT2 | 700-2-064 | special shaped ring | | 1 |
| 10 | KIT2 | 800-2-002 | oil seal | | 1 |
| 11 | KIT2 | 800-3-006 | deep groove ball ring | | 1 |
| 12 | KIT2 | 700-1-024 | wobble plate 11.5° | 11.5° | 1 |
| 13 | KIT2 | 800-3-007 | wobble plate screw(left) | | 1 |
| KIT3 | KIT2 | 700C-PA-003 | thrust bearing assy | | 1 |
| 14 | KIT3 | 700-3-081 | thrust bearing thin board | | 1 |
| 15 | KIT3 | 700-3-082 | thrust bearing roller | | 1 |
| 16 | KIT3 | 700-3-083 | thrust bearing thick board | | 1 |
| KIT4 | KIT15 | 700C-PA-004 | piston body assy | | 1 |
| 17 | KIT4 | 800-3-013 | piston spring | | 3 |
| 20 | KIT4 | 700-1-026 | piston body | | 1 |
| 21 | KIT4 | 700-2-063 | oil seal | | 3 |
| 22 | KIT4 | 700-4-054 | pilot sheath | | 3 |
| KIT5 | KIT4 | 700C-PA-005 | piston assy | | 1 |
| 18 | KIT5 | 800-3-011 | spring base | | 3 |
| 19 | KIT5 | 650-3-100 | piston | | 3 |
| KIT6 | KIT15 | 700C-PA-006 | pump body assy | | 1 |
| 23 | KIT6 | 700-2-045 | water seal | | 3 |
| 29 | KIT6 | 700-1-027 | pump body | | 1 |
| 30 | KIT6 | 700-3-088 | hexagon socket head cap screw | M6x40 | 4 |
| 36 | KIT6 | 700-3-117 | one-way valve washer | 12.2x5x1.6 | 3 |
| 37 | KIT6 | 700-1-028 | plate | | 1 |
| 38 | KIT6 | 700-3-089 | hexagon socket head cap screw | M5x16 | 1 |

| H1610 Parts list | | | | | |
|------------------|--------------|--------------------|---------------------------------------|-------------|----------|
| Item No | KIT No | Part No. | Desc. | Spec. | QTY |
| KIT7 | KIT6 | 700C-PA-007 | spill valve end cover assembly | | 1 |
| 24 | KIT7 | 700-2-046 | o-ring | 13.5x2 | 1 |
| 25 | KIT7 | 700-3-086 | spill valve end cover | | 1 |
| KIT8 | KIT6 | 700C-PA-008 | spill valve assy | | 1 |
| 26 | KIT8 | 700-4-055 | spill valve seat | | 1 |
| 27 | KIT8 | 700-3-087 | spill valve spring | | 1 |
| 28 | KIT8 | 700-4-056 | spill valve cover | | 1 |
| KIT9 | KIT6 | 700C-PA-009 | one-way valve assy | | 1 |
| 31 | KIT9 | 800-4-004 | one-way valve seat | | 6 |
| 32 | KIT9 | 800-3-014 | one-way valve spring | | 6 |
| 33 | KIT9 | 800-3-015 | one-way valve door | | 6 |
| 34 | KIT9 | 750-4-086 | one-way valve cover | | 6 |
| 35 | KIT9 | 700-2-065 | one-way valve cover o-ring | 8.5x1.9 | 6 |
| KIT10 | KIT15 | 700C-P-010 | inlet assy | | 1 |
| 39 | KIT10 | 650-2-054 | o-ring | 30x2.4 | 1 |
| 40 | KIT10 | 650-4-083 | inlet tube | 14teeth | 1 |
| 41 | KIT10 | 700-3-090 | plain washer ϕ 4 | | 4 |
| 42 | KIT10 | 700-3-091 | hexagon socket head cap screw | M4x16 | 4 |
| KIT11 | KIT15 | 700C-PA-011 | manifold assy | 1 | 1 |
| 43 | KIT11 | 700-3-092 | clip ring | | 1 |
| 49 | KIT11 | 700-1-040 | manifold type IV | | 1 |
| 50 | KIT11 | 800-3-004 | hexagon socket head cap screw | M5x28 | 4 |
| 51 | KIT11 | 800-2-012 | o-ring | 12x2 | 3 |
| KIT12 | KIT11 | 700C-P-012 | spill valve core assy | | 1 |
| 52 | KIT12 | 700-2-049 | o-ring | 5x1.9 | 1 |
| 53 | KIT12 | 700-3-094 | valve core | | 1 |
| 54 | KIT12 | 700-3-095 | spring | | 1 |
| 55 | KIT12 | 700-3-096 | nut | M16x1.25 | 1 |
| 56 | KIT12 | 700-2-050 | o-ring | 8.6x2 | 1 |
| 57 | KIT12 | 700C-3-114 | small valve o-ring | 6.8x2.5x0.8 | 1 |
| 58 | KIT12 | 700-2-051 | o-ring | 1.6x1.8 | 2 |
| 59 | KIT12 | 700-4-060 | spill valve sheath | | 1 |
| KIT13 | KIT11 | 700C-PA-012 | outlet one-way valve | | 1 |
| 44 | KIT13 | 700-4-058 | valve seat | | 1 |
| 45 | KIT13 | 700-3-093 | valve spring | | 1 |
| 46 | KIT13 | 700-4-059 | one-way valve door | | 1 |
| 47 | KIT13 | 700C-3-124 | valve cover | | 1 |
| 48 | KIT13 | 700C-2-062 | o-ring | 10.7x1.9 | 1 |
| 118 | KIT12 | 800-2-013 | chief one-way valve o-ring | 5x2 | 1 |

| H1610 Parts list | | | | | |
|------------------|--------------|---------------------|---|-----------------------|----------|
| Item No | KIT No | Part No. | Desc. | Spec. | QTY |
| KIT14 | KIT15 | 700C-P-013 | TSS assy | | 1 |
| 60 | KIT14 | 700-4-061 | u-pin | | 1 |
| 61 | KIT14 | 700-5-082 | TSS switch DW-20 20.1(8)A 250VAC | DW-20 20.1(8)A 250VAC | 1 |
| 62 | KIT14 | 700-4-062 | TSS seat | | 1 |
| 63 | KIT14 | 700-2-052 | TSS switch seal ring | | 1 |
| 64 | KIT14 | 700-4-063 | TSS cover | | 1 |
| 65 | KIT14 | 700-2-053 | TSS round jacket | | 1 |
| 66 | KIT14 | 800-2-016 | TSS lead wire (UL) 16AWG | (UL) 16AWG | 1 |
| 67 | KIT14 | HD1550-I07 | cable round jacket | | 1 |
| 68 | KIT14 | 800C-4-001 | plastic square jacket | | 1 |
| 69 | KIT14 | 800-5-003 | plate | | 1 |
| 70 | KIT14 | 800C-4-016 | plastic jacket | Φ4.0 | 1 |
| 71 | KIT14 | 800-5-006 | receptacle | | 1 |
| KIT16 | | H1610-08-002 | complete machine | | 1 |
| 87 | KIT16 | 7SLABB04-16 | cross recessed pan head tapping screw with washer | ST4×16 "F" type | 10 |
| 80 | KIT16 | 800C-2-024 | sponge strip | Ø3.2 L=195mm | 1 |
| 88 | KIT16 | H1610-02-009 | right accessory hold (red) | | 1 |
| 89 | KIT16 | 6SDABB04-12 | cross recessed round head tapping screw | ST4×12 "F" type | 2 |
| 90 | KIT16 | H1610-02-010 | H1610 back housing (black) | | 1 |
| 77 | KIT16 | 7SLABB04-12 | cross recessed pan head tapping screw with washer | ST4x12 "F" type | 9 |
| 91 | KIT16 | PW1600H-C03 | cross recessed round head tapping screw | ST4.8×19 C type | 8 |
| 92 | KIT16 | H1610-02-011 | handle | | 1 |
| 93 | KIT16 | H1610-02-012 | back housing cover | | 1 |
| 94 | KIT16 | H1610-02-013 | HP hose wrap | | 1 |
| 95 | KIT16 | H1610-02-014 | cable reel | | 1 |
| 96 | KIT16 | H1610-02-015 | left accessory hold (red) | | 1 |
| 97 | KIT16 | 7236-140A01 | inlet nut | 14teeth | 1 |
| 101 | KIT16 | 800-4-029 | cable plate | | 1 |
| 102 | KIT16 | TF1600-A14 | outlet end cover | | 1 |
| 103 | KIT16 | 7183-140A02 | inlet filter | | 1 |
| KIT17 | KIT16 | H1610-08-005 | switch dial assy | | 1 |
| 72 | KIT17 | H1610-02-001 | switch dial | | 1 |
| 73 | KIT17 | 1000-2-002 | o-ring | 7.65x1.78 | 1 |
| KIT18 | KIT16 | H1610-08-006 | H1610 fron cover assy | | 1 |
| 74 | KIT18 | H1610-02-002 | H1610 front red housing cover | | 1 |
| 75 | KIT18 | H1610-02-018 | soft grip | | 1 |
| 76 | KIT18 | H1610-02-003 | H1610 front housing (black) | | 1 |
| 77 | KIT18 | 7SLABB04-12 | cross recessed pan head tapping screw with washer | ST4x12 "F" type | 2 |
| 87 | KIT18 | 7SLABB04-16 | cross recessed pan head tapping screw with washer | ST4×16 "F" type | 2 |
| 91 | KIT18 | PW1600H-C03 | cross recessed round head tapping screw | ST4.8×19 C type | 2 |
| 104 | KIT18 | TF1600-B03 | foot | | 2 |

| H1610 Parts list | | | | | |
|------------------|--------------|---------------------|---|---------------------|----------|
| Item No | KIT No | Part No. | Desc. | Spec. | QTY |
| KIT19 | KIT16 | H1610-08-007 | motor cover assy | | 1 |
| 77 | KIT19 | 7SLABB04-12 | cross recessed pan head tapping screw with washer | ST4x12 "F" type | 6 |
| 78 | KIT19 | PW1600H-C02 | cross recessed round head tapping screw | ST3x12 "F" type | 4 |
| 79 | KIT19 | H1610-02-004 | switch cover | | 1 |
| 80 | KIT19 | 800C-2-024 | sponge strip | Ø3.2 L=195mm | 2 |
| 81 | KIT19 | H1610-02-005 | adjustable main switch 16 (8) 125/250VAC | 16 (8) 125/250VAC | 1 |
| 82 | KIT19 | H1610-02-006 | switch plate | | 1 |
| 83 | KIT19 | 700-3-117 | one-way valve washer | 12.2X5X1.6 | 2 |
| 84 | KIT19 | 800C-3-035 | cross recessed pan head tapping screw with washer | ST3.5x12 "F" type | 2 |
| 85 | KIT19 | H1610-02-007 | motor front cover | | 1 |
| 86 | KIT19 | H1610-02-008 | motor back cover | | 1 |
| KIT20 | KIT16 | H1610-08-008 | wheel assy | | 2 |
| 98 | KIT20 | H1610-02-016 | wheel hub (silvery) | | 2 |
| 99 | KIT20 | H1610-02-017 | wheel | | 2 |
| 100 | KIT20 | PWZ1400-A06 | wheel cover | | 2 |
| KIT21 | KIT16 | H1610-08-003 | cable assy | | 1 |
| 105 | KIT21 | 800C-4-016 | plastic jacket | | 2 |
| 106 | KIT21 | 800-5-006 | receptacle | | 2 |
| 107 | KIT21 | HD1550-I07 | cable round jacket | | 1 |
| 108 | KIT21 | H1610-09-002 | cable 35ft | | 1 |
| 109 | KIT21 | TF1600-B01 | cable jacket | | 1 |
| 110 | KIT21 | 7247-140A12 | GFCI 2-pro | | 1 |
| KIT22 | | H1610-09-001 | Acc. | | 1 |
| 111 | KIT22 | TF1600-G01-03 | lance | | 1 |
| 112 | KIT22 | H1610-08-004 | 3-way CNC lance 15°/ 25°/0° | | 1 |
| 113 | KIT22 | H1600-08-001 | P2006 gun with gray trigger | | 1 |
| 114 | KIT22 | H1600-08-002 | HP hose with the long ring nut 19ft, φ 10.3mm transparent | | 1 |
| 115 | KIT22 | 6197-160A02 | nozzle cleaner | | 1 |
| 116 | KIT22 | TF1600-L01 | plastic w/alum GHC (long) | | 1 |
| 113 | KIT22 | Z1400-A04 | HP foamer assembly | | 1 |
| | | Z1400-A01 | HP foamer | | |
| | | Z1400-A02 | transparent tube φ 12X φ 9 4.6m | | |
| | | Z1400-A03 | filter | | |