


- **High Output:** 2700 PSI @ 2.3 GPM for outstanding cleaning power
- **Performance Series Engine:** 196cc OHV horizontal shaft engine
- **Robust Pump:** Three piston axial pump with aluminum head for durable, long-term use
- **Extra Long Hose:** 25' long co-extrude high pressure hose provides an easy to move workspace
- **Quick Connect Wand and Nozzles:** 4 Pro-Style nozzles for easy connection and cleaning management
- **Heavy Duty Frame Construction:** Built tough with durable powdercoat finish
- **Portable Design:** Cart Frame design with fixed handle and 12" never flat wheels provide excellent portability




PWF2701SH

Rubber Grip



Accessory Panel




4-Piece PRO Style Nozzles Included



196cc OHV Engine



Cart Style Frame with Toolless Snap-In Handle




Trigger Gun



High Pressure Hose



Three Piston Axial Pump with Aluminum Head






12.0" Flat Free Wheel



Model Number	PWF2701SH
Max Pressure (PSI)	2700
Max Flow (GPM)	2.3
Engine Type	Senci Single Cylinder 196cc - 4 Stroke OHV
Starting System	Recoil Start
Fuel Type	Gasoline
Low Oil Shtdown	Yes
Cast Iron Sleeve	No
Oil Type and Capacity	10W-30 - 600ml
Pump Brand	WTL
Pump Type	Axial, three piston
Hot / Cold Water	Cold
Lubrication Method	Splash
Chemical Injector	Yes
Handle	Fixed / Snap Pin Installation
Wheel	Flat Free 12.0"
Included	Oil, Funnel, Spark Plug Wrench, Manual, Nozzle Cleaning Tool, QSG
Warranty (Residential)	2 year
Carton LxWxH	21.5" X 19.1" X 21.9" inch
Unit Weight	57.0 lbs
Shipping Weight	61.0 lbs
UPC	850013862597

PWF2701SH



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240



LEARN MORE HERE



Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST